

HEDIS 2010 USFHP	HEDIS 2009 Rate	HEDIS 2010 Rate	Commercial National POS Rates			Required for NCQA Accreditation
			Quality Compass 2010 50th Percentile	Quality Compass 2010 75th Percentile	Quality Compass 2010 90th Percentile	
Prevention and Screening						
Adult BMI Assessment (First Year Measure)						
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (First Year Measure)						
Childhood Immunization Status						
DTaP	81.69%	85.44%	86.53	90.48	97.96	
OPV/ IPV	89.20%	92.72%	90.97	96.54	97.96	
MMR	94.37%	90.80%	90.20	93.15	95.92	
HiB	94.37%	96.93%	93.84	97.26	100.00	
HEP B	90.61%	92.72%	89.82	94.87	100.00	
VZV	92.49%	92.72%	89.35	91.94	95.51	
PNEUMO	81.69%	83.52%	85.80	92.36	100.00	
Combo 2	76.53%	79.31%	77.10	83.14	89.80	C
Combo 3	68.54%	73.56%	75.50	81.73	89.80	
Lead Screening in Children						
Breast Cancer Screening	70.94%	72.34%	70.75	76.89	82.00	C
Cervical Cancer Screening	72.40%	71.80%	78.53	81.53	82.24	C
Colorectal Cancer Screening	75.15%	75.08%	58.19	68.46	73.85	C
Chlamydia Screening in Women						
16 to 20 Years	44.89%	43.27%	40.53	44.58	53.96	
21 to 25 Years	50.31%	49.74%	51.07	53.84	55.47	
Total	46.31%	45.10%	45.16	49.13	54.67	C
Glaucoma Screening in Older Adults						
Care for Older Adults						
Respiratory Conditions						
Appropriate Testing for Children With Pharyngitis	85.80%	88.25%	83.58	88.50	90.78	C
Appropriate Treatment for Children With Upper Respiratory Infection*	90.64%	88.36%	86.73	91.26	94.74	C
Avoidance of Antibiotic Treatment in Adults With Acute Bronchitis*	30.38%	21.23%	20.50	23.15	31.90	C
Use of Spirometry Testing in the Assessment and Diagnosis of COPD	32.38%	36.57%	36.84	50.00	56.86	C
Pharmacotherapy Management of COPD Exacerbation						
Systemic Corticosteroids		57.14%				
Bronchodilators		85.71%				
Use of Appropriate Medications for People With Asthma						
5 to 11 Years	Cf. Footnote	100.00%	97.73	98.31	98.36	
12 to 50 Years	Cf. Footnote	95.80%	89.93	93.24	93.92	
Combined		97.45%	92.29	94.48	96.88	C
Cardiovascular Conditions						
Cholesterol Management for Patients With Cardiovascular Conditions						

HEDIS 2010 USFHP	HEDIS 2009 Rate	HEDIS 2010 Rate	Commercial National POS Rates			Required for NCQA Accreditation
			Quality Compass 2010 50th Percentile	Quality Compass 2010 75th Percentile	Quality Compass 2010 90th Percentile	
LDL-C Control (<100 mg/dL)	61.49%	70.41%	58.96	64.14	65.03	
LDL-C Screening	84.48%	88.78%	87.20	88.34	90.40	C
Controlling High Blood Pressure	59.61%	70.35%	61.73	65.98	75.67	C
Persistence of Beta-Blocker Treatment After a Heart Attack	93.02%	86.21%				C
Diabetes						
Comprehensive Diabetes Care						
HbA1c Testing	88.56%	91.00%	87.23	89.29	91.97	C
Poor HbA1c Control (> 9)	22.87%	18.00%	35.76	29.80	22.08	C
HbA1c Control (≤ 9)		82.00%				
HbA1c Adequate Control < 8		74.70%				
HbA1c Good Control (< 7)						
Eye Exam	67.88%	74.21%	56.80	69.41	71.35	C
LDL-C Screening	82.24%	85.89%	84.49	85.89	86.09	C
LDL-C Level < 100	66.42%	59.85%	45.05	49.12	53.47	
Med. Attention for Nephropathy	85.64%	89.29%	82.13	85.40	86.62	C
BP Level < 130/80	36.01%	41.61%	35.40	46.32	53.65	
BP Level < 140/90	67.15%	70.56%	65.24	71.23	77.92	
Musculoskeletal Conditions						
Use of Imaging Studies for Low Back Pain	77.30%	73.37%	71.79	79.11	84.02	C
Behavioral Health						
Antidepressant Medication Management						
Effective Acute Phase Treatment	84.73%	80.97%	63.40	70.57	71.38	C
Effective Continuation Phase Treatment	66.03%	66.13%	47.01	54.41	59.66	C
Follow-Up Care for Children Prescribed ADHD Medication						
Initiation Phase	45.10%	43.28%	40.23	46.53	50.72	C
Continuation and Maintenance Phase	56.25%	52.94%				C
Follow-Up After Hospitalization for Mental Illness						
Follow-up within 30 Days	71.01%	69.70%	77.97	85.72	95.45	
Follow-up within 7 Days	39.13%	40.91%	58.80	68.25	84.09	C
Access/ Availability of Care						
Adult's Access to Preventive/ Ambulatory Health Services						
Age 20-44		95.73%	93.00	95.39	96.98	
Age 45-64		96.16%	95.34	96.23	97.46	
Age 65 and older		97.10%	97.17	98.28	99.32	
All members		96.50%	93.97	96.07	97.27	
Children and Adolescents' Access to Primary Care Practitioners						
All		94.78%				
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment						

HEDIS 2010 USFHP	HEDIS 2009 Rate	HEDIS 2010 Rate	Commercial National POS Rates			Required for NCQA Accreditation
			Quality Compass 2010 50th Percentile	Quality Compass 2010 75th Percentile	Quality Compass 2010 90th Percentile	
Initiation (13 to 17)		NA				
Initiation (18+)		24.42%	40.42	47.12	52.50	
Initiation (total)		24.89%	40.63	48.38	53.93	
Engagement (13 to 17)		NA				
Engagement (18+)		4.61%	19.87	25.05	30.00	
Engagement (total)		5.06%	20.45	24.92	32.02	
Prenatal and Postpartum						
Timeliness of Prenatal Care	97.07	96.00%	92.95	94.58	98.55	C
Postpartum Care	81.76	80.00%	80.69	81.91	86.96	C
All		78.00%				
Use of Services						
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life		75.87%	75.75	82.70	86.31	
Adolescent Well-Care Visits		51.48%	46.99	56.59	65.07	
Admin Methodology						
Hybrid Methodology						