

Prior Authorization			
This fax ma	Humira and Bios	DPKINS HEALTH PLANS similars - Priority Partners MCO ecure location as required by HIPAA regulations.	
Complete/review information Please contact Johns Hop	n, sign and date. Fax s kins Health Plans at 1 -	signed forms to Johns Hopkins Health Plans at 1-410-424-4607 . -888-819-1043 with questions regarding the Prior Authorization process. coverage of Humira and Biosimilars - Priority Partners MCO.	
	,	5 5	
Drug Name (specify drug)			
Quantity	Frequency	Strength	
Route of Administration		Expected Length of Therapy	
Patient Information			
Patient Name: Patient ID:			
Patient Group No.:			
Patient DOB:			
Patient Phone:			
Prescribing Physician			
Physician Name:			
Physician Phone:			
Physician Fax:			
Physician Address:			
City, State, Zip:			
Diagnosis:		ICD Code:	
Comments:			
Discos sincle the entropyrists	anawar far aash suaa	41a.a.	
Please circle the appropriate			
1. Has the plan author patient (i.e., previou plan)?			
guarantee covera	ge under the provis	s, or manufacturer product discounts, does not sions of the medical and/or pharmacy benefit. All er to be eligible for benefit coverage.	
[If yes, skip to que			

2.	Is the request for Humira?	Y N
	[If no, skip to question 4.]	
3.	Does the patient have any of the following diagnoses: A) sarcoidosis, B) graft-versus-host disease, C) interleukin-2 toxicity, D) Langerhan's cell histiocytosis, E) myositis, F) nephrotic syndrome, G) amyloidosis, H) periodic fever syndrome, I) renal transplant syndrome, J) First-line therapy for pediatric patients with moderate to severe Crohn's disease, K) definitive radiographic axial spondyloarthritis with evidence of structural damage on sacroiliac joints?	YN
	[If no, skip to question 5]	
	[If yes, no further questions.]	
4.	Does the patient have any of the following diagnoses: A) sarcoidosis, B) graft-versus-host disease, C) interleukin-2 toxicity, D) Langerhan's cell histiocytosis, E) myositis, F) nephrotic syndrome, G) amyloidosis, H) periodic fever syndrome, I) renal transplant syndrome, J) First-line therapy for pediatric patients with moderate to severe Crohn's disease, K) definitive radiographic axial spondyloarthritis with evidence of structural damage on sacroiliac joints, L) Uveitis?	YN
	[If yes, no further questions.]	
5.	Does the patient have a diagnosis of rheumatoid arthritis?	Y N
	NOTE: Submission of medical records is required.	
	[If no, skip to question 12.]	
6.	ls the request for Amjevita, Cyltezo, Hulio, Hyrimoz, Yuflyma, Yusimry, Idacio, or Humira?	Y N
	[If no, skip to question 8.]	
7.	Has the patient had a trial and inadequate response or intolerance with Hadlima, adalimumab-adaz, or adalimumab-fkjp?	Y N
	[If no, no further questions.]	
8.	Has the patient tried and had treatment failure to at least two formulary disease-modifying antirheumatic drugs (DMARDs) including methotrexate?	Y N
	NOTE: Submission of medical records is required.	
	[If yes, skip to question 11.]	
9.	Does the patient have a contraindication to at least two formulary disease-modifying antirheumatic drugs (DMARDs) including methotrexate?	Y N
	NOTE: Submission of medical records is required.	
	[If yes, skip to question 11.]	
10.	Has the patient had rheumatoid arthritis for less than or equal to 6 months with high level of disease activity and	Y N

features of poor prognosis (such as extra-articular disease, positive rheumatoid factor, or bony erosions)?	
NOTE: Submission of medical records is required.	
[If no, no further questions.]	
11. Is the patient 18 years of age or older?	Y N
[If yes, skip to question 75.]	
[If no, no further questions.]	
12. Does the patient have a diagnosis of juvenile idiopathic arthritis?	Y N
NOTE: Submission of medical records is required.	
[If no, skip to question 19.]	
13. Is the request for Amjevita, Cyltezo, Hulio, Hyrimoz, Yuflyma, Yusimry, Idacio, or Humira?	Y N
[If no, skip to question 15.]	
14. Has the patient had a trial and inadequate response or intolerance with Hadlima, adalimumab-adaz, or adalimumab-fkjp?	Y N
[If no, no further questions.]	
15. Has the patient tried and had insufficient response to an adequate trial of full dose nonsteroidal anti-inflammatory drug (NSAID) therapy?	Y N
NOTE: Submission of medical records is required.	
[If no, no further questions.]	
16. Has the patient tried and had insufficient response to at least two formulary disease-modifying antirheumatic drugs (DMARDs) including methotrexate?	Y N
NOTE: Submission of medical records is required.	
[If yes, skip to question 18.]	
17. Does the patient have a contraindication to at least two disease-modifying antirheumatic drugs (DMARDs) including methotrexate?	Y N
NOTE: Submission of medical records is required.	
[If no, no further questions.]	
18. Is the patient 2 years of age or older?	Y N
[If yes, skip to question 75.]	
[If no, no further questions.]	
19. Does the patient have a diagnosis of psoriatic arthritis?	YN
NOTE: Submission of medical records is required.	
[If no, skip to question 25.]	
20. Is the request for Amjevita, Cyltezo, Hulio, Hyrimoz, Yuflyma, Yusimry, Idacio, or Humira?	Y N
[If no, skip to question 22.]	

21. Has the patient had a trial and inadequate response or intolerance with Hadlima, adalimumab-adaz, or adalimumab-fkjp?	Y N
[If no, no further questions.]	
22. Has the patient tried and had insufficient response to at least two disease-modifying antirheumatic drugs (DMARDs) including methotrexate?	Y N
NOTE: Submission of medical records is required.	
[If yes, skip to question 24.]	
23. Does the patient have a contraindication to at least two disease-modifying antirheumatic drugs (DMARDs) including methotrexate?	Y N
NOTE: Submission of medical records is required.	
[If no, no further questions.]	
24. Is the patient 18 years of age or older?	Y N
[If yes, skip to question 75.]	
[If no, no further questions.]	
25. Does the patient have a diagnosis of ankylosing spondylitis?	Y N
NOTE: Submission of medical records is required.	
[If no, skip to question 30.]	
26. Is the request for Amjevita, Cyltezo, Hulio, Hyrimoz, Yuflyma, Yusimry, Idacio, or Humira?	Y N
[If no, skip to question 28.]	
27. Has the patient had a trial and inadequate response or intolerance with Hadlima, adalimumab-adaz, or adalimumab-fkjp?	Y N
[If no, no further questions.]	
28. Has the patient tried and had insufficient response to an adequate trial of two full doses nonsteroidal anti- inflammatory drug (NSAID) therapies?	Y N
NOTE: Submission of medical records is required.	
[If no, no further questions.]	
29. Is the patient 18 years of age or older?	Y N
[If yes, skip to question 75.]	
[If no, no further questions.]	
30. Does the patient have a diagnosis of chronic moderate to severe plaque psoriasis?	Y N
NOTE: Submission of medical records is required.	
[If no, skip to question 38.]	
31. Is the request for Amjevita, Cyltezo, Hulio, Hyrimoz, Yuflyma, Yusimry, Idacio, or Humira?	Y N
[If no, skip to question 33.]	

32. Has the patient had a trial and inadequate response or intolerance with Hadlima, adalimumab-adaz, or adalimumab-fkjp?	Y N
[If no, no further questions.]	
33. Does the patient have either of the following: A) body surface area involvement of greater than 10 percent, or B) body surface area involvement of less than or equal to 10 percent, but involves sensitive areas (palms/soles of feet, genitalia and head/neck)?	Y N
NOTE: Submission of medical records is required.	
[If no, no further questions.]	
34. Has the patient tried and had insufficient response or contraindication to at least one of the following: A) phototherapy, or B) systemic with methotrexate or cyclosporine?	Y N
NOTE: Submission of medical records is required.	
[If no, no further questions.]	
35. Does the patient have moderate disease?	Y N
[If no, skip to question 37.]	
36. Has the patient had a documented trial and insufficient response to topical pharmacologic therapy (corticosteroids, vitamin D analogues, or retinoids), unless their use is contraindicated?	Y N
NOTE: Submission of medical records is required.	
[If no, no further questions.]	
37. Is the patient 18 years of age or older?	Y N
[If yes, skip to question 75.]	
[If no, no further questions.]	
38. Does the patient have a diagnosis of moderately to severely active Crohn's disease?	Y N
NOTE: Submission of medical records is required.	
[If no, skip to question 43.]	
39. Is the request for Amjevita, Cyltezo, Hulio, Hyrimoz, Yuflyma, Yusimry, Idacio, or Humira?	Y N
[If no, skip to question 41.]	
40. Has the patient had a trial and inadequate response or intolerance with Hadlima, adalimumab-adaz, or adalimumab-fkjp?	Y N
[If no, no further questions.]	
41. Has the patient tried and had insufficient response to corticosteroids, or immunomodulators such as azathioprine, 6-mercaptopurine, or methotrexate?	Y N
NOTE: Submission of medical records is required.	
[If no, no further questions.]	

42. Is the patient at least 6 years of age or older?	Y N
[If yes, skip to question 75.]	
[If no, no further questions.]	
43. Does the patient have a diagnosis of moderate to severe ulcerative colitis?	Y N
NOTE: Submission of medical records is required.	
[If no, skip to question 52.]	
44. Is the request for Amjevita, Cyltezo, Hulio, Hyrimoz, Yuflyma, Yusimry, or Idacio?	Y N
[If no, skip to question 46.]	
45. Has the patient had a trial and inadequate response or intolerance with Hadlima, adalimumab-adaz, or adalimumab-fkjp?	Y N
[If yes, skip to question 50.]	
[If no, no further questions.]	
46. Is the request for Humira?	Y N
[If no, skip to question 50.]	
47. Is the patient 5 to 17 years of age?	Y N
[If yes, skip to question 51.]	
48. Is the patient 18 years of age or older?	Y N
[If no, no further questions.]	
49. Has the patient had a trial and inadequate response or intolerance with Hadlima, adalimumab-adaz, or adalimumab-fkjp?	Y N
[If yes, skip to question 51.]	
[If no, no further questions.]	
50. Is the patient 18 years of age or older?	Y N
[If no, no further questions.]	
51. Has the patient tried and had insufficient response to immunosuppressants such as corticosteroids, azathioprine, or 6-mercaptopurine (6-MP)?	Y N
NOTE: Submission of medical records is required.	
[If yes, skip to question 75.]	
[If no, no further questions.]	
52. Is the request for Idacio?	Y N
[If yes, skip to question 75.]	
53. Does the patient have a diagnosis of moderate to severe hidradenitis suppurativa (HS)?	Y N
NOTE: Submission of medical records is required.	
[If no, skip to question 61.]	
54. Is the request for Amjevita, Cyltezo, Hulio, Hyrimoz,	Y N

Yuflyma, or Yusimry?	
[If no, skip to question 56.]	
55. Has the patient had a trial and inadequate response or intolerance with Hadlima, adalimumab-adaz, or adalimumab-fkjp?	Y N
[If yes, skip to question 57.]	
[If no, no further questions.]	
56. Is the request for Humira?	Y N
[If yes, skip to question 58.]	
57. Is the patient 18 years of age or older?	Y N
[If yes, skip to question 75.]	
[If no, no further questions.]	
58. Is the patient 12 years of age or older?	Y N
[If no, no further questions.]	
59. Is the patient 12 to 17 years of age?	Y N
[If yes, skip to question 75.]	
60. Has the patient had a trial and inadequate response or intolerance with Hadlima, adalimumab-adaz, or adalimumab-fkjp?	Y N
[If yes, skip to question 75.]	
[If no, no further questions.]	
61. Is the request for Hadlima or Humira?	Y N
[If no, no further questions.]	
62. Does the patient have a diagnosis of one of the following types of non-infectious uveitis: A) intermediate uveitis, B) posterior uveitis, or C) panuveitis?	Y N
[If no, no further questions.]	
63. Is the request for Hadlima?	Y N
[If no, skip to question 65.]	
64. Is the patient 18 years of age or older?	Y N
[If yes, skip to question 75.]	
[If no, no further questions.]	
65. Is the patient 2 to 17 years of age?	Y N
[If yes, skip to question 75.]	
66. Is the patient 18 years of age or older?	Y N
[If no, no further questions.]	
67. Did the patient have a trial and had an inadequate response or intolerance with Hadlima?	Y N
[If yes, skip to question 75.]	
[If no, no further questions.]	

68. Is the request for Humira?	Y N
[If no, skip to question 70.]	
69. Does the patient have any of the following diagnoses: A) sarcoidosis, B) graft-versus-host disease, C) interleukin-2 toxicity, D) Langerhan's cell histiocytosis, E) myositis, F) nephrotic syndrome, G) amyloidosis, H) periodic fever syndrome, I) renal transplant syndrome, J) First-line therapy for pediatric patients with moderate to severe Crohn's disease, K) definitive radiographic axial spondyloarthritis with evidence of structural damage on sacroiliac joints?	YN
[If no, skip to question 71.]	
[If yes, no further questions.]	
70. Does the patient have any of the following diagnoses: A) sarcoidosis, B) graft-versus-host disease, C) interleukin-2 toxicity, D) Langerhan's cell histiocytosis, E) myositis, F) nephrotic syndrome, G) amyloidosis, H) periodic fever syndrome, I) renal transplant syndrome, J) First-line therapy for pediatric patients with moderate to severe Crohn's disease, K) definitive radiographic axial spondyloarthritis with evidence of structural damage on sacroiliac joints, L) Uveitis?	ΥΝ
[If yes, no further questions.]	
71. Does the patient have one of the following diagnoses: A) rheumatoid arthritis, B) juvenile idiopathic arthritis, C) psoriatic arthritis, D) ankylosing spondylitis, E) plaque psoriasis, F) hidradenitis suppurativa, or G) uveitis?	Y N
NOTE: Submission of medical records is required.	
[If no, skip to question 73.]	
 72. Is the patient experiencing clinical improvement from treatment as supported by one of the following outcomes: A) reduction in the signs and symptoms, B) prolonged beneficial clinical response, C) inhibition of structural damage progression, or D) improved physical functioning? 	Y N
NOTE: Submission of medical records is required.	
[If yes, skip to question 75.]	
[If no, no further questions.]	
73. Does the patient have one of the following diagnoses: A) Crohn's disease, or B) ulcerative colitis?	Y N
NOTE: Submission of medical records is required.	
[If no, no further questions.]	
 74. Is the patient experiencing clinical improvement from treatment as supported by one of the following outcomes: A) reduction in gastrointestinal signs and symptoms, B) prolonged clinical remission and mucosal healing, or C) reduced number of draining enterocutaneous or 	Y N

rectovaginal fistulas for at least a 3-month period (only applies to fistulizing Crohn's disease)?
NOTE: Submission of medical records is required.
[If no, no further questions.]
75. Is the requested drug being prescribed for FDA-approved Y N dosages and dosing intervals?
NOTE: Submission of medical records is required.
[If no, no further questions.]
76. Will the requested drug be used concurrently with another Y N biologic disease-modifying anti-rheumatic drug (DMARD)?

I attest that the medication requested is medically necessary for this patient. I further attest that the information provided is accurate and true, and that the documentation supporting this information is available for review if requested by the claims processor, the health plan sponsor, or, if applicable a state or federal regulatory agency.

Prescriber	(Or	Authorized)	Signature	and Date
------------	-----	-------------	-----------	----------