

Abbreviations Commonly Used in Obstetrics and Gynecology

Physical Examination

V/V	Vulva/Vagina
BUS	Bartholin's glands, urethra, Skene's gland
RV	retroverted
AV	anteverted
RF	retroflexed
AF	anteflexed
MP	midplane

Gynecology

TAH	total abdominal hysterectomy
TVH	total vaginal hysterectomy
BSO	bilateral salpingo-oophorectomy
IA	incidental appendectomy
BTL/BPS	bilateral tubal ligation/bilateral partial salpingectomy
TL	tubal ligation
LTL	laparoscopic tubal ligation
PID	pelvic inflammatory disease
GC	gonococcus, Gonorrhea
CKC	cold knife conization of the cervix
D&C	dilation and curettage of the uterus
Cx Bx	cervical biopsy
ECC	endocervical curettage
ENDO BX	endometrial biopsy
LPD	luteal phase defect
PMS	premenstrual syndrome
CIN	cervical intraepithelial neoplasia
PCO	polycystic ovarian disease
ERT	estrogen replacement therapy
STD	sexual transmitted disease
GTN	gestational trophoblastic neoplasia
SAB	spontaneous abortion
EAB	elective abortion
SUI	stress urinary incontinence

Obstetrics

EDC	estimated day of confinement (delivery due date)
EGA	estimated gestational age
EFW	estimated fetal weight
ELF	elective low forceps
LMP	last menstrual period
LNMP	last normal menstrual period
PMP	previous menstrual period
ROM	rupture of membranes
RBOW	rupture of bag of water
AROM	artificial rupture of membranes
SROM	spontaneous rupture of membranes
PROM	premature rupture of membranes
FHT	fetal heart tones
GFM	good fetal movement
IUP	intrauterine pregnancy
IUGR	intrauterine growth retardation
IUFD/FDIU	intrauterine fetal demise/fetal death in utero
SVD	mid-line episiotomy
OA, OP, LOA, LOP, LOT, ROT, ROA, ROP	fetal positions
VTX	vertex
PIH	pregnancy induced hypertension
CST	contraction stress test
NST	non-stress test
OCT	oxytocin challenge test
C/S	cesarean section
U/S	ultra sound
Q	quickening
PP	postpartum