

How would you modify this table to make it more effective?

Table 4. Study population characteristics in patients from all of Sweden ($n = 1915$) and patients from hospital clinics ($n = 190$). Percentages.

	All of Sweden $n = 1915$	Hospital Clinics $n = 190$
Males (%)	47.6	56.8
Females (%)	52.4	43.2
Diastolic Blood Pressure		
> 90 mm Hg (%)	43.0	40.0
≥ 95 mm Hg (%)	30.6	28.4
≥ 100 mm Hg (%)	14.4	15.3
Smokers (%)	24.6	25.3
Diabetes (%)	10.0	13.7
S-Cholesterol ≥ 6.50 mmol l ⁻¹ (%)	37.5	37.9
S-HDL-Chol females ≤ 1.20 mmol l ⁻¹ (%)	24.1	25.6
S-HDL-Chol males ≤ 1.00 mmol l ⁻¹ (%)	24.3	22.2
LDL/HDL ratio ≥ 5.0 (%)	5.9	3.2
S-Triglycerides ≥ 1.80 mmol l ⁻¹ (%)	40.5	35.8
CHD Relative Risk		
≥ 2.0 (%)	34.2	37.9
≥ 3.0 (%)	13.1	14.7
<i>Drug treatment</i>		
Beta-receptor blocker (%)	63.0	55.3
Diuretics (%)	35.4	42.6
ACE-inhibitors (%)	19.4	31.1
Calcium-antagonists (%)	18.6	31.1