

Table 4. Study population characteristics in patients from all of Sweden (n = 1915) and patients from hospital clinics (n = 190). Percentages.

VERSION 1: ORIGINAL

	All of Sweden <i>n</i> = 1915	Hospital Clinics <i>n</i> = 190
Males (%)	47.6	56.8
Females (%)	52.4	43.2
Diastolic Blood Pressure		
> 90 mm Hg (%)	43.0	40.0
≥ 95 mm Hg (%)	30.6	28.4
≥ 100 mm Hg (%)	14.1	15.3
Smokers (%)	24.6	25.3
Diabetes (%)	10.0	13.7
S-Cholesterol ≥ 6.50 mmol l ⁻¹ (%)	37.5	37.9
S-HDL-Chol females ≤ 1.20 mmol l ⁻¹ (%)	24.1	25.6
S-HDL-Chol males ≤ 1.00 mmol l ⁻¹ (%)	24.3	22.2
LDL/HDL ratio ≥ 5.0 (%)	5.9	3.2
S-Triglycerides ≥ 1.80 mmol l ⁻¹ (%)	40.5	35.8
CHD Relative risk		
≥ 2.0 (%)	34.2	37.9
≥ 3.0 (%)	13.1	14.7
<i>Drug treatment</i>		
Beta-receptor blocker (%)	63.0	55.3
Diuretics (%)	35.4	42.6
ACE-inhibitors (%)	19.4	31.1
Calcium-antagonists (%)	18.6	31.1

Table 4. Study population characteristics in patients from all of Sweden (n = 1915) and patients from hospital clinics (n = 190). Values shown are percentages.

VERSION 2:

- remove extras (%)
- show groupings and hierarchies – add spaces, indents, subheadings
- standardize format of existing subheadings

	All of Sweden n = 1915	Hospital Clinics n = 190
Males	47.6	56.8
Females	52.4	43.2
Diastolic Blood Pressure		
> 90 mm Hg	43.0	40.0
≥ 95 mm Hg	30.6	28.4
≥ 100 mm Hg	14.1	15.3
Sub-heading		
Smokers	24.6	25.3
Diabetes	10.0	13.7
Sub-heading		
S-Cholesterol ≥ 6.50 mmol l ⁻¹	37.5	37.9
S-HDL-Chol females ≤ 1.20 mmol l ⁻¹	24.1	25.6
S-HDL-Chol males ≤ 1.00 mmol l ⁻¹	24.3	22.2
LDL/HDL ratio ≥ 5.0	5.9	3.2
S-Triglycerides ≥ 1.80 mmol l ⁻¹	40.5	35.8
CHD Relative Risk		
≥ 2.0	34.2	37.9
≥ 3.0	13.1	14.7
Drug treatment		
Beta-receptor blocker	63.0	55.3
Diuretics	35.4	42.6
ACE-inhibitors	19.4	31.1
Calcium-antagonists	18.6	31.1

Table 4. Study population characteristics in patients from all of Sweden (n = 1915) and patients from hospital clinics (n = 190). Values shown are percentages.

VERSION 3:

- correct the mistakes – see > and ≥
- make additions, e.g. add column at right for significant differences?
- improve title (difficult to do this without the remainder of the paper)

	All of Sweden n = 1915	Hospital Clinics n = 190
Males	47.6	56.8
Females	52.4	43.2
Diastolic Blood Pressure		
90 mm Hg	43.0	40.0
95 mm Hg	30.6	28.4
100 mm Hg	14.1	15.3
Sub-heading		
Smokers	24.6	25.3
Diabetes	10.0	13.7
Sub-heading		
S-Cholesterol ≥ 6.50 mmol l ⁻¹	37.5	37.9
S-HDL-Chol females ≤ 1.20 mmol l ⁻¹	24.1	25.6
S-HDL-Chol males ≤ 1.00 mmol l ⁻¹	24.3	22.2
LDL/HDL ratio ≥ 5.0	5.9	3.2
S-Triglycerides ≥ 1.80 mmol l ⁻¹	40.5	35.8
CHD Relative Risk		
≥ 2.0	34.2	37.9
≥ 3.0	13.1	14.7
Drug treatment		
Beta-receptor blocker	63.0	55.3
Diuretics	35.4	42.6
ACE-inhibitors	19.4	31.1
Calcium-antagonists	18.6	31.1